



CFO/State Fire Marshal  
Alex Sink

**Bureau of Forensic Fire & Explosives Analysis**

38 Academy Drive  
Havana, FL 32333  
Phone: 850-539-2700  
Fax: 850-539-9662

**EVIDENCE SUBMISSION FORM**

New Case Lab. No. \_\_\_\_\_

Additional Evidence Agency No. 09-597

Submitting Agent: Detective Max Melendez Jr

Agency: State Fire Marshal Office Tel. No: (813) 972 - 8604

Address: 8600 Hidden River Parkway Suite 200, Tampa, Florida 33637

Property Owner or Occupant: Director: Rob Rosovich Gel Tech Solutions

Incident Address: Demo: 5005 126 Ave North, Pinellas Park, Florida 33760

Nature of Incident: 'Firelce' Product Testing & Demonstration Incident date: 02/20/2009

**List of Laboratory Tests:**

(A) Determine presence/identity of Ignitable liquids	(F) Flash Point Test
(C) Comparison Sample	(CRB) Chemical Reaction Bomb Determination
(O) Other requests - Explain in remarks section	(E/I) Explosives/Incendiaries Determination
(HO) Hold only - No test requested	(P) Latent Print Examination

List of evidence submitted:

	<u>Test</u>
1. <u>C-1 'Firelce' and water mixed solution.</u>	<u>A</u>
2. <u>C-2 'Duplex' Octane Buster Liquid on gauze.</u>	<u>A</u>
3. <u>C-3 'Cutex' Nail Polish Remover Liquid on gauze.</u>	<u>A</u>
4. <u>C-4 'Firelce' Product Powder.</u>	<u>A</u>
5. <u>C-5 'Firelce' Product Powder.</u>	<u>A</u>

**Chain of Custody:**

<u>Agent</u>	<u>Transfer</u>	<u>Date and Time</u>
1. <u>Detective M. Melendez</u>	<u>For Analysis</u> <i>[Signature]</i>	<u>2/25/09 1300</u>
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____

REMARKS: This is a control testing / analysis of the product 'Firelce'.  
See Enclosed Product Information.

Received via: \_\_\_\_\_ Disposition: \_\_\_\_\_

Status: \_\_\_\_\_





CFO/State Fire Marshal  
Alex Slnk

Bureau of Forensic Fire & Explosives Analysis  
38 Academy Drive  
Havana, FL 32333  
Phone: 850-539-2700  
Fax: 850-539-9662

EVIDENCE SUBMISSION FORM

New Case Lab. No. \_\_\_\_\_  
 Additional Evidence Agency No. 09-597

Submitting Agent: Detective Max Melendez Jr

Agency: State Fire Marshal Office Tel. No: (813) 972 - 8604

Address: 8600 Hidden River Parkway Suite 200, Tampa, Florida 33637

Property Owner or Occupant: Director: Rob Rosovich Gel Tech Solutions

Incident Address: Demo: 5005 126 Ave North, Pinellas Park, Florida 33760

Nature of Incident: 'Firelce' Product Testing & Demonstration Incident date: 02/20/2009

List of Laboratory Tests:

(A) Determine presence/identity of ignitable liquids	(F) Flash Point Test
(C) Comparison Sample	(CRB) Chemical Reaction Bomb Determination
(O) Other requests - Explain in remarks section	(E/I) Explosives/Incendiaries Determination
(HO) Hold only - No test requested	(P) Latent Print Examination

List of evidence submitted:

	Test
1. C-9 'Duplex' Octane Buster mixed with paper towel / heated and 'Firelce' applied.	A
2. C-10 'Cutex' Nail Polish Remover mixed with paper towel / heated and 'Firelce' applied.	A
3. C-11 'Firelce' Product Container.	HO
4. N/A	
5. N/A	


Chain of Custody:

Agent	Transfer	Date and Time
1. Detective M. Melendez	For Analysis <i>[Signature]</i>	2/25/09 1300
2.		
3.		
4.		
5.		

REMARKS: This is a control testing / analysis of the product 'Firelce'.  
See Enclosed Product Information.

Received via: \_\_\_\_\_ Disposition: \_\_\_\_\_

Status: \_\_\_\_\_



**Alex Sink**  
**Chief Financial Officer**  
 of  
**The State of Florida**  
**State Fire Marshal**

Det. Max Melendez  
 SFM BFAI Tampa  
 8600 Hidden River Parkway  
 Suite 200  
 Tampa, FL 33637

APR 20 2009

**Laboratory Number:** 090405  
**Agency Case Number:** 09-597  
**Receipt Date:** 02-MAR-2009  
**Report Date:** 06-MAR-2009  
**Analyst:** BENNETTR

**Forensic Laboratory Report**

The submitted exhibits were examined and interpreted based on a comparison with standards. Quality assurance measures including blanks and spikes were conducted in association with these exhibits.

<u>Item No.</u>	<u>Date Received</u>	<u>Exhibit Description</u>
01	02-MAR-2009	#1a, LIQUID
02	02-MAR-2009	#2a, SATURATED GAUZE PAD
03	02-MAR-2009	#3a, SATURATED GAUZE PAD
04	02-MAR-2009	#4a, (WHITE) POWDER
05	02-MAR-2009	#5a, (WHITE) POWDER
06	02-MAR-2009	#6a, BURNED DEBRIS
07	02-MAR-2009	#7a, METAL
08	02-MAR-2009	#8a, BURNED DEBRIS
09	02-MAR-2009	#9a, BURNED & SATURATED PAPER TOWEL
10	02-MAR-2009	#10a, SATURATED PAPER TOWEL
11	02-MAR-2009	#11a, CONTAINER

**RESULTS:**

A medium petroleum distillate was found in the following exhibit(s):

090405-07

Acetone in the following exhibit(s):

090405-03

090405-10

Isopropyl alcohol in the following exhibit(s):

090405-02

090405-09

**Report Date:** 06-MAR-2009

**Page:** 2

RS

**RESULTS (Cont.):**

No examination was performed on the following exhibit(s):

090405-11

No ignitable liquid was determined in the following exhibit(s):

090405-01

090405-04

090405-05

090405-06

090405-08

Negative test results do not preclude the possibility that an ignitable liquid was present in the fire scene. The wording of the preceding report was developed using recommendations in ASTM methods E1387 and E1618 (current versions). Sample extractions are based on ASTM E1412 (current version). Should your report contain a result on which you need clarification, please call the Bureau of Forensic Fire and Explosives Analysis. Subpoenas or correspondence pertaining to this case should refer to the laboratory number.